

## SPD-003 Assay Data

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D0965	SPD-003	3.35	4.35	1.00	1.00	0.018	< 0.005	< 0.005
D0966	SPD-003	4.35	5.35	1.00	0.78	0.017	< 0.005	< 0.005
D0967	SPD-003	5.35	6.35	1.00	0.58	0.018	< 0.005	< 0.005
D0968	SPD-003	6.35	7.35	1.00	0.80	0.016	< 0.005	< 0.005
D0969	SPD-003	10.83	12.00	1.17	1.17	0.018	0.01	0.005
D0970	SPD-003	12.00	13.00	1.00	1.00	0.033	0.007	< 0.005
D0971	SPD-003	13.00	14.00	1.00	1.00	0.005	< 0.005	< 0.005
D0972	SPD-003	14.00	15.00	1.00	1.00	0.034	0.006	< 0.005
D0973	SPD-003	15.00	16.00	1.00	0.83	0.012	< 0.005	< 0.005
D0974	SPD-003	16.00	17.00	1.00	0.70	< 0.005	< 0.005	< 0.005
D0975	SPD-003	17.00	18.00	1.00	0.62	0.016	< 0.005	< 0.005
D0976	SPD-003	18.00	19.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0977	SPD-003	19.00	20.00	1.00	1.00	0.01	< 0.005	< 0.005
D0978	SPD-003	20.00	21.00	1.00	1.00	0.014	< 0.005	< 0.005
D0979	SPD-003	21.00	22.00	1.00	0.95	0.011	0.006	< 0.005
D0980	SPD-003	22.00	23.00	1.00	0.95	0.014	< 0.005	< 0.005
D0981	SPD-003	23.00	24.00	1.00	1.00	0.015	< 0.005	< 0.005
D0982	SPD-003	24.00	25.00	1.00	1.00	0.054	< 0.005	0.006
D0983	SPD-003	25.00	26.00	1.00	1.00	0.042	< 0.005	< 0.005
D0984	SPD-003	26.00	27.00	1.00	1.00	0.042	0.006	< 0.005
D0986	SPD-003	27.00	28.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D0987	SPD-003	28.00	29.00	1.00	1.00	0.021	0.009	< 0.005
D0988	SPD-003	29.00	30.00	1.00	1.00	0.016	0.014	0.012
D0989	SPD-003	30.00	31.00	1.00	0.97	< 0.005	< 0.005	< 0.005
D0990	SPD-003	31.00	32.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0991	SPD-003	32.00	33.00	1.00	1.00	0.009	< 0.005	< 0.005
D0992	SPD-003	33.00	34.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0993	SPD-003	34.00	35.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0994	SPD-003	35.00	36.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0995	SPD-003	36.00	37.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D0996	SPD-003	37.00	38.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0997	SPD-003	38.00	39.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D0998	SPD-003	39.00	40.00	1.00	1.00	0.008	< 0.005	< 0.005
D0999	SPD-003	40.00	41.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1000	SPD-003	41.00	42.00	1.00	1.00	0.009	0.007	< 0.005
D1001	SPD-003	42.00	43.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1002	SPD-003	43.00	44.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D1003	SPD-003	44.00	45.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D1004	SPD-003	45.00	46.00	1.00	0.73	0.014	< 0.005	< 0.005
D1005	SPD-003	46.00	47.00	1.00	0.90	< 0.005	< 0.005	< 0.005
D1007	SPD-003	47.00	48.00	1.00	0.95	0.018	0.01	< 0.005
D1008	SPD-003	48.00	49.00	1.00	1.00	0.026	< 0.005	< 0.005
D1009	SPD-003	49.00	50.00	1.00	1.00	0.016	< 0.005	< 0.005
D1010	SPD-003	50.00	51.00	1.00	1.00	0.012	< 0.005	< 0.005
D1011	SPD-003	51.00	52.00	1.00	0.92	0.02	0.006	< 0.005
D1012	SPD-003	52.00	53.00	1.00	0.84	0.022	< 0.005	< 0.005
D1013	SPD-003	53.00	54.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1014	SPD-003	54.00	55.50	1.50	0.28	< 0.005	0.006	< 0.005
D1015	SPD-003	55.50	56.30	0.80	0.73	0.009	< 0.005	< 0.005
D1016	SPD-003	56.30	57.00	0.70	0.70	< 0.005	< 0.005	< 0.005
D1017	SPD-003	57.00	58.50	1.50	1.10	< 0.005	< 0.005	< 0.005
D1018	SPD-003	90.40	91.50	1.10	1.10	0.015	< 0.005	< 0.005
D1019	SPD-003	91.50	92.50	1.00	1.00	0.011	0.006	< 0.005
D1020	SPD-003	92.50	93.50	1.00	0.86	0.006	< 0.005	< 0.005
D1021	SPD-003	93.50	94.50	1.00	0.85	0.009	< 0.005	< 0.005
D1022	SPD-003	94.50	96.00	1.50	0.65	< 0.005	< 0.005	< 0.005
D1023	SPD-003	96.00	97.00	1.00	1.00	< 0.005	0.007	< 0.005
D1024	SPD-003	97.00	98.00	1.00	0.36	0.01	0.005	< 0.005

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D1025	SPD-003	98.00	99.00	1.00	0.73	< 0.005	0.009	< 0.005
D1026	SPD-003	99.00	100.00	1.00	1.00	0.177	< 0.005	< 0.005
D1028	SPD-003	100.00	102.00	2.00	0.90	< 0.005	0.01	< 0.005
D1029	SPD-003	102.00	103.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D1030	SPD-003	103.00	104.00	1.00	0.95	< 0.005	0.007	< 0.005
D1031	SPD-003	104.00	105.00	1.00	0.80	< 0.005	0.017	< 0.005
D1032	SPD-003	105.00	106.00	1.00	1.00	0.007	< 0.005	< 0.005
D1033	SPD-003	106.00	107.00	1.00	1.00	0.014	0.009	< 0.005
D1034	SPD-003	107.00	108.00	1.00	0.95	0.008	0.006	< 0.005
D1035	SPD-003	108.00	109.00	1.00	1.00	0.008	0.005	< 0.005
D1036	SPD-003	109.00	110.00	1.00	1.00	0.01	< 0.005	< 0.005
D1037	SPD-003	110.00	111.00	1.00	1.00	0.185	0.006	< 0.005
D1038	SPD-003	111.00	112.00	1.00	1.00	0.122	0.009	0.008
D1039	SPD-003	133.50	135.00	1.50	0.95	0.008	< 0.005	< 0.005
D1040	SPD-003	136.00	136.60	0.60	0.05	< 0.005	0.009	0.015
D1041	SPD-003	136.60	138.00	1.40	0.61	0.009	0.008	< 0.005
D1042	SPD-003	138.00	139.00	1.00	0.95	< 0.005	0.008	< 0.005
D1043	SPD-003	139.00	140.00	1.00	1.00	0.019	0.006	< 0.005
D1044	SPD-003	140.00	141.00	1.00	0.90	0.008	< 0.005	< 0.005
D1045	SPD-003	141.00	142.00	1.00	0.86	< 0.005	0.005	< 0.005
D1046	SPD-003	142.00	143.00	1.00	0.84	0.009	< 0.005	0.036
D1047	SPD-003	143.00	144.00	1.00	0.75	< 0.005	0.016	0.014
D1049	SPD-003	144.00	145.50	1.50	0.20	< 0.005	< 0.005	0.013
D1050	SPD-003	145.50	147.00	1.50	1.10	0.005	< 0.005	< 0.005
D1051	SPD-003	147.00	148.75	1.75	0.90	0.011	< 0.005	< 0.005
D1052	SPD-003	148.75	150.00	1.25	0.90	< 0.005	< 0.005	< 0.005
D1053	SPD-003	165.00	166.00	1.00	0.97	< 0.005	0.006	< 0.005
D1054	SPD-003	166.00	166.90	0.90	0.90	0.01	0.007	< 0.005
D1055	SPD-003	166.90	168.00	1.10	0.70	< 0.005	< 0.005	< 0.005
D1056	SPD-003	168.00	169.00	1.00	0.88	0.013	< 0.005	< 0.005
D1057	SPD-003	169.00	170.00	1.00	0.78	0.007	0.005	< 0.005
D1058	SPD-003	170.00	171.00	1.00	1.00	0.007	< 0.005	< 0.005
D1059	SPD-003	171.00	172.00	1.00	1.00	0.011	0.01	< 0.005
D1060	SPD-003	172.00	173.00	1.00	0.80	0.01	0.015	0.008
D1061	SPD-003	173.00	174.00	1.00	0.70	0.01	< 0.005	0.005
D1062	SPD-003	174.00	175.00	1.00	1.00	0.007	0.011	< 0.005
D1063	SPD-003	175.00	176.00	1.00	0.95	< 0.005	0.011	0.01
D1064	SPD-003	176.00	177.00	1.00	0.94	< 0.005	0.007	< 0.005
D1065	SPD-003	177.00	178.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1066	SPD-003	178.00	179.00	1.00	1.00	0.005	0.008	< 0.005
D1067	SPD-003	179.00	180.00	1.00	0.91	0.006	0.008	< 0.005
D1068	SPD-003	180.00	181.00	1.00	0.97	0.005	0.009	< 0.005
D1070	SPD-003	181.00	182.00	1.00	1.00	< 0.005	0.006	< 0.005
D1071	SPD-003	182.00	183.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1072	SPD-003	183.00	184.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D1073	SPD-003	184.00	185.00	1.00	0.83	< 0.005	< 0.005	< 0.005
D1074	SPD-003	185.00	186.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D1075	SPD-003	186.00	187.00	1.00	1.00	0.039	< 0.005	0.007
D1076	SPD-003	187.00	189.00	2.00	1.20	0.018	0.009	0.005
D1077	SPD-003	189.00	190.00	1.00	0.97	0.013	< 0.005	< 0.005
D1078	SPD-003	190.00	192.00	2.00	0.95	0.008	< 0.005	0.007
D1079	SPD-003	192.00	193.00	1.00	0.50	< 0.005	0.007	< 0.005
D1080	SPD-003	193.00	194.45	1.45	0.40	0.006	0.008	< 0.005
D1081	SPD-003	197.10	198.40	1.30	0.21	< 0.005	0.021	0.015
D1082	SPD-003	198.80	199.60	0.80	0.26	0.006	0.011	< 0.005
D1083	SPD-003	200.10	201.00	0.90	0.14	< 0.005	0.009	0.016
D1084	SPD-003	201.30	202.15	0.85	0.17	< 0.005	0.009	0.007
D1085	SPD-003	203.00	204.70	1.70	1.15	0.011	< 0.005	0.011
D1086	SPD-003	206.70	207.80	1.10	0.60	0.011	< 0.005	< 0.005
D1087	SPD-003	208.60	210.00	1.40	0.63	< 0.005	0.01	< 0.005
D1088	SPD-003	212.00	213.90	1.90	0.74	< 0.005	< 0.005	< 0.005

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D1089	SPD-003	213.90	215.00	1.10	0.14	< 0.005	0.005	< 0.005
D1091	SPD-003	215.45	216.70	1.25	0.40	0.023	0.022	0.036
D1092	SPD-003	218.00	218.30	0.30	0.15	< 0.005	0.012	0.008
D1093	SPD-003	218.70	219.50	0.80	0.50	0.965	0.1	0.065
D1094	SPD-003	220.00	222.00	2.00	0.41	0.067	0.07	0.011
D1095	SPD-003	222.00	223.10	1.10	0.77	0.028	< 0.005	0.009
D1096	SPD-003	223.10	223.90	0.80	0.32	0.052	0.006	0.044
D1097	SPD-003	225.00	225.90	0.90	0.89	0.36	0.066	0.068
D1098	SPD-003	225.90	226.60	0.70	0.70	4.47	0.985	0.712
D1099	SPD-003	228.00	229.10	1.10	0.62	0.21	1.64	1.76
D1100	SPD-003	229.50	230.30	0.80	0.80	0.213	1.26	1.22
D1101	SPD-003	231.00	232.10	1.10	0.77	0.101	0.137	0.126
D1102	SPD-003	232.10	232.80	0.70	0.70	0.013	0.014	0.015
D1103	SPD-003	232.80	233.50	0.70	0.70	0.343	0.042	0.093
D1104	SPD-003	233.50	234.00	0.50	0.50	0.278	0.075	0.14
D1105	SPD-003	234.50	235.50	1.00	0.55	0.041	0.014	0.022
D1106	SPD-003	236.00	237.00	1.00	0.98	0.086	0.011	0.019
D1107	SPD-003	241.20	241.50	0.30	0.15	< 0.005	0.099	0.042
D1108	SPD-003	241.90	242.30	0.40	0.40	0.054	0.008	0.009
D1109	SPD-003	243.00	244.40	1.40	0.60	0.272	0.257	0.228
D1110	SPD-003	244.40	245.40	1.00	0.42	0.221	0.067	0.073
D1112	SPD-003	245.40	246.85	1.45	0.88	0.818	0.673	0.553
D1113	SPD-003	247.35	248.70	1.35	0.76	0.019	0.024	0.038
D1114	SPD-003	249.00	250.30	1.30	0.34	0.305	0.371	0.294
D1115	SPD-003	250.30	251.40	1.10	0.51	0.589	0.264	0.162
D1116	SPD-003	252.00	253.05	1.05	0.84	0.602	0.925	0.971
D1117	SPD-003	253.05	253.90	0.85	0.73	1.93	0.734	0.497
D1118	SPD-003	253.90	255.00	1.10	0.85	0.009	< 0.005	< 0.005
D1119	SPD-003	255.00	255.70	0.70	0.70	0.025	0.013	0.028
D1120	SPD-003	255.70	256.40	0.70	0.70	0.008	0.008	0.042
D1121	SPD-003	256.60	257.20	0.60	0.55	0.012	< 0.005	0.042
D1122	SPD-003	257.20	258.30	1.10	0.82	0.162	0.472	0.605
D1123	SPD-003	258.30	259.70	1.40	0.92	0.221	0.102	0.121
D1124	SPD-003	259.70	261.00	1.30	0.83	0.132	0.058	0.059
D1125	SPD-003	261.00	262.65	1.65	0.61	0.224	0.291	0.247
D1126	SPD-003	262.65	264.00	1.35	0.97	1.51	0.844	0.433
D1127	SPD-003	264.00	265.60	1.60	0.58	0.027	0.046	0.069
D1128	SPD-003	265.60	266.50	0.90	0.87	0.3	0.018	0.056
D1129	SPD-003	267.00	267.80	0.80	0.74	1.36	0.575	0.707
D1130	SPD-003	267.80	269.70	1.90	0.90	0.025	0.156	0.419
D1131	SPD-003	269.70	269.80	0.10	1.10	2.47	2.46	5.41
D1133	SPD-003	269.80	271.00	1.20	1.20	181	0.242	0.51
D1134	SPD-003	271.00	272.00	1.00	1.00	23.4	0.504	0.634
D1135	SPD-003	272.00	273.00	1.00	1.00	1.54	0.71	0.954
D1136	SPD-003	273.00	275.00	2.00	0.65	0.027	0.074	0.16
D1137	SPD-003	275.40	276.65	1.25	0.37	< 0.005	0.012	0.012
D1138	SPD-003	276.65	278.25	1.60	0.87	0.035	0.918	0.379
D1139	SPD-003	278.25	279.00	0.75	0.51	0.062	1.24	0.285
D1140	SPD-003	279.00	280.50	1.50	0.79	0.121	1.45	1.9
D1141	SPD-003	281.10	282.50	1.40	0.48	< 0.005	0.007	0.015
D1142	SPD-003	284.10	284.60	0.50	0.12	< 0.005	0.042	0.031
D1143	SPD-003	285.40	286.90	1.50	1.11	0.018	0.009	0.008
D1144	SPD-003	286.90	288.00	1.10	1.10	0.008	0.006	< 0.005
D1145	SPD-003	288.00	289.00	1.00	1.00	0.01	< 0.005	0.008
D1146	SPD-003	289.00	290.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1147	SPD-003	290.00	291.00	1.00	0.95	< 0.005	< 0.005	< 0.005
D1148	SPD-003	291.00	292.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1149	SPD-003	292.00	293.00	1.00	1.00	< 0.005	< 0.005	< 0.005

Sample ID	Hole ID	From metres	To metres	Interval metres	Recovered metres	Au g/t	Pt g/t	Pd g/t
D1150	SPD-003	293.00	294.00	1.00	1.00	< 0.005	< 0.005	0.006
D1151	SPD-003	294.00	295.00	1.00	1.00	< 0.005	< 0.005	0.006
D1152	SPD-003	295.00	296.00	1.00	1.00	< 0.005	< 0.005	0.005
D1154	SPD-003	296.00	297.00	1.00	1.00	0.009	< 0.005	0.007
D1155	SPD-003	297.00	298.64	1.64	0.99	< 0.005	< 0.005	< 0.005
D1156	SPD-003	298.64	300.00	1.36	1.10	< 0.005	< 0.005	< 0.005
D1157	SPD-003	300.00	301.00	1.00	1.00	< 0.005	< 0.005	< 0.005
D1158	SPD-003	301.00	303.00	2.00	0.95	0.007	< 0.005	< 0.005
D1159	SPD-003	303.00	304.00	1.00	0.88	< 0.005	< 0.005	< 0.005
D1160	SPD-003	304.00	305.00	1.00	0.84	< 0.005	< 0.005	< 0.005
D1161	SPD-003	305.00	306.00	1.00	0.92	< 0.005	0.006	< 0.005

**End of Hole**